

Reno Leathers

With Palma Matching Vinyls

DISTRIBUTED BY:



THE **miami**TM
CORPORATION

RENO LEATHER & MATCHING VINYL

AVAILABLE IN ALL COLORS

VAT DYED



HAMPTON
PERFORATED

MB-4
PERFORATED

HIGHLAND
PERFORATED



EURO
PERFORATED

BMW MINI
PERFORATED

S-2000
PERFORATED



PA3169
WHITE

F829
WHITE

PA3718
GM WHITE

GM7807
GM WHITE

PA2997
MAGNOLIA

RE1997
MAGNOLIA



PA940
BONE

F840
BONE

PA2672
LT. CREME

RE1672
LT. CREME

PA865
MED. CREME

J865
MED. CREME



PA946
LINEN

PO846
LINEN

PA966
OATMEAL

J866
OATMEAL

LUX6925
SILKY IVORY

BM833
PEARL BEIGE



PA844
CREAMY IVORY

AC844
CREAMY IVORY

PA970
IVORY

LE870
IVORY

PA943
SILKY IVORY

AC843
SILKY IVORY

RENO LEATHER & MATCHING VINYL



PA9049
JAGUAR IVORY

J8049
JAGUAR IVORY

PA2099
CREME

RE1099
CREME

PA2218
SADDLE

RE1218
SADDLE



PA945
CHAMPAGNE

PO845
CHAMPAGNE

PA950
BISQUIT

RE850
BISQUIT

PA932
BUCKSKIN

BM832
BUCKSKIN



PA3134
RR TAN

RE2134
RR TAN

PA2234
BEIGE

RE1234
BEIGE

PA8792
GREIGE

INF7792
GREIGE



PA930
NATURAL

BM830
NATURAL

PA967
COFFEE

J867
COFFEE

PA9134
TAUPE

AC8134
TAUPE



PA934
CORK

PO831
CORK

PA949
SADDLE

PO834
SADDLE

PA816
BEECHWOOD

DUM716
BEECHWOOD



PA759
RUST

RE659
RUST

PA2086
DK. RED

RE1086
DK. RED

PA7290
MAPLE

RE6290
MAPLE

RENO LEATHER & MATCHING VINYL

VAT DYED



PA968
CAN CAN RED

P868
CAN CAN RED

PA7300
ROSSO RED

PO835
LOBSTER RED

PA2171
RED

RE1171
RED



MBL6876
EVERGREEN

F07814
EVERGREEN

PA3131
LT. BLUE

RE2131
LT. BLUE

PA6880
LEXUS BLUE

LE847
LEXUS BLUE



AL822
ROYAL BLUE

F839
MED. BLUE

PA3133
BLUE

RE2133
BLUE

PA2282
DK. BLUE

AC841
DK. BLUE



PA969
SILVER GREY

BM869
SILVER GREY

PA936
GREY

F836
GREY

PA730
SMOKE

RE630
SMOKE



PA726
MED. GRAPHITE

DUM626
MED. GRAPHITE

PA3137
CHARCOAL

RE2137
CHARCOAL

PA942
DK. CHARCOAL

AC842
CHARCOAL



PA790
CHOCOLATE

RE690
CHOCOLATE

PA7500
BLACK

F2006
BLACK

AK3390
MET. SILVER

AK3392
MET. MED. BLUE

AK3391
MET. BLUE

RENO Leather Specifications

GENERAL SPECIFICATIONS

Size	45-55 sq. ft.
Thickness	1.1-1.3 mm
Dyeing	Vat dyed
Made In	Italy

PERFORMANCE SPECIFICATIONS

Abrasion Resistance	1500 cycles, ASTM D 3884-92, 1Kg
Tear Strength	25 N minimum
Color Fastness (Light)	7 Rating , 150 hours Exposure Blue Scale
Color Fastness (Rub)	1000 Cycles (Rating 5)
Flex Endurance	25,000 flexes dry : no visible cracks

FLAMMABILITY REQUIREMENTS

California Fire Code No. 117, Section E

UFAC Class I

MVSS 302 (Motor Vehicle Safety Standard)

FAR (Aviations) Certification available at an additional fee

PALMA Vinyl Specifications

GENERAL SPECIFICATIONS

Width	54"
Roll Size	40 Yards
Weight	32 Ounces per Linear Yard
Backing	Polyester / Cotton Blend

PERFORMANCE SPECIFICATIONS

Breaking Strength	IS-7016 Part-2
Tear Strength	IS-7016 Part-3
Abrasion Resistance	30,000 Double Rubs- Heavy Duty Wyzenbeek
Flexing Endurance	150,000 cycles : IS-7016 Part-4
Color Fastness	6 Rating : Grey Scale

FLAMMABILITY REQUIREMENTS

California Fire Code No. 117, Section E Part-1 Upholstery Fabrics

UFAC Class I

MVSS 302 (Motor Vehicle Safety Standard)

APPLICATIONS

- Automotive
- RV
- Residential
- General Upholstery
- Special Applications

CARE INSTRUCTIONS

This product should be cleaned with mild soap and water.
Do not use alcohol based cleaning products.